4M SYSTEM

4M SYSTEM

PARTS BREAKDOWN

4m SYSTEM

SPARCclassic X Sun-4/10

2-Slot SBus Logic Enclosure



Sun-4m System

Sun-4m Architecture

SPARCclassic X	Sun-4/10	2
SPARCclassic	Sun-4/15	4
SPARCstation LX/ZX	Sun-4/30	6
SPARC Xterminal 1		8
SPARCstation 4		10
SPARCstation 5		18
SPARCstation 10		26
SPARCstation 10SX		28
SPARCstation 20		30
SPARCstation Voyager		38

SPARCclassic X Sun-4/10

2-Slot SBus Logic Enclosure

CODE	PART #	DESCRIPTION
1	540-2231	Top Cover Assembly
2	300-1101	70 Watt Power Supply
3	340-1214	Front Foot
4	340-1451	Left Rear Foot
NS	340-1450	Rear Foot Pad
5	501-2269	I/O PCB
6	540-2260	Speaker Assembly
-	540-2233	• Speaker and LED
-	340-1447	• Mounting Bracket
7	540-2479	Peripheral Mounting Bracket Assembly
-	340-2594	• Peripheral Mounting Bracket
-	240-1141	• #6-32 x 1/4" Screw
7	340-2594	Peripheral Mounting Bracket 340-2594-02 [1]
-	240-2145	• #6-32 Shoulder Screw
-	250-1199	• Grommet
NS	240-1923	#4-40 Slotted Audio Connector Standoff
NS	240-1951	#4-40 x 3/16" Slotted Jackscrew
NS	240-1961	#4-40 x 3/16" Slotted SCSI Connector Standoff
NS	260-3059	Sun Logo
NS	260-7018	SPARCclassic X Nameplate
NS	330-1647	SCSI Connector Cover
NS	330-1648	Audio Connector Cover
NS	330-1649	Parallel Connector Cover
NS	340-1456	Right Rear Foot
NS	330-1606	Floppy Filler Panel
NS	330-1455	Vertical Support
NS	330-1458	Horizontal Support
NS	540-1982	Lockbox Assembly

[1] Bracket 340-2594-02, introduced in December 1993, improves disk drive shock and vibration resistance.

SPARCclassic Sun-4/15

2-Slot SBus Logic Enclosure



SPARCclassic Sun-4/15

2-Slot SBus Logic Enclosure

CODE	PART #	DESCRIPTION
1	540-2231	Top Cover Assembly
2	300-1101	70 Watt Power Supply
3	370-1417	207MB Disk Drive, Conner CP30200
3	370-1392	424MB Disk Drive, Seagate ST1480N
3	370-1684	535MB Disk Drive, Conner CP30540
3	370-1843	535MB Disk Drive, Seagate ST5660N
3	370-1546	1.05GB Disk Drive, Seagate ST11200N
3	370-1710	1.05GB Disk Drive, Seagate ST31200N
3	370-1963	1.05GB Disk Drive, Conner CFP1080S
4	530-1678	Internal SCSI Cable
5	340-1214	Front Foot
6	340-1451	Left Rear Foot
6	340-1450	Rear Foot Pad
7	501-1887	I/O PCB (obsolete)
7	501-2198	I/O PCB (obsolete)
7	501-2269	I/O PCB
8	540-2260	Speaker Assembly
-	540-2233	• Speaker and LED
-	340-1447	• Mounting Bracket
9	530-1643	Internal Floppy Cable
10	370-1419	3.5" Floppy Disk Drive, Triple Density
11	340-2594	Peripheral Mounting Bracket 340-2594-01
-	240-1141	• #6-32 x 1/4" Screw
11	340-2594	Peripheral Mounting Bracket 340-2594-02 [1]
-	240-2145	• #6-32 Shoulder Screw
-	250-1199	• Grommet
NS	240-1951	Jackscrew, Slotted, #4-40 / 3/16
NS	240-1961	SCSI Connector Screw, #4-40
NS	260-3059	Sun Logo
NS	260-6130	SPARCClassic Nameplate
NS	330-1437	ISDN Plug
NS	340-1456	Right Rear Foot
NS	330-1606	Floppy Filler Panel
NS	330-1455	Vertical Support
NS	330-1458	Horizontal Support
NS	540-1982	Lockbox Assembly
	801-2176	*SPARCclassic/SPARCstation LX Service Manual*

[1] Bracket 340-2594-02, introduced in December 1993, improves disk drive shock and vibration resistance.

SPARCstation LX/ZX Sun-4/30

2-Slot SBus Logic Enclosure



SPARCstation LX/ZX Sun-4/30

2-Slot SBus Logic Enclosure

CODE	PART #	DESCRIPTION
1	540-2231	Top Cover Assembly
2	300-1101	70 Watt Power Supply
3	370-1417	207MB Disk Drive, Conner CP30200
3	370-1392	424MB Disk Drive, Seagate ST1480N
3	370-1684	535MB Disk Drive, Conner CP30540
3	370-1843	535MB Disk Drive, Seagate ST5660N
3	370-1546	1.05GB Disk Drive, Seagate ST11200N
3	370-1710	1.05GB Disk Drive, Seagate ST31200N
3	370-1963	1.05GB Disk Drive, Conner CFP1080S
4	530-1678	Internal SCSI Cable
5	340-1214	Front Foot
6	340-1451	Left Rear Foot
6	340-1450	Rear Foot Pad
7	501-1887	I/O PCB (obsolete)
7	501-2198	I/O PCB (obsolete)
7	501-2269	I/O PCB
8	540-2260	Speaker Assembly
-	540-2233	• Speaker and LED
-	340-1447	• Mounting Bracket
9	530-1643	Internal Floppy Cable
10	370-1419	3.5" Floppy Disk Drive, Triple Density
11	340-2594	Peripheral Mounting Bracket 340-2594-01
-	240-1141	• #6-32 x 1/4" Screw
11	340-2594	Peripheral Mounting Bracket 340-2594-02 [1]
-	240-2145	• #6-32 Shoulder Screw
-	250-1199	• Grommet
NS	240-1951	Jackscrew, Slotted, #4-40 / 3/16
NS	240-1961	SCSI Connector Screw, #4-40
NS	260-3059	Sun Logo
NS	260-6129	SPARCstation LX Nameplate
NS	260-7939	SPARCstation ZX Nameplate
NS	330-1437	ISDN Plug
NS	340-1456	Right Rear Foot
NS	330-1606	Floppy Filler Panel
NS	330-1455	Vertical Support
NS	330-1458	Horizontal Support
NS	540-2220	Speakerbox Assembly
NS	540-1982	Lockbox Assembly
	801-2176	*SPARCclassic/SPARCstation LX Service Manual*

[1] Bracket 340-2594-02, introduced in December 1993, improves disk drive shock and vibration resistance.

SPARC Xterminal 1

1-Slot SBus Logic Enclosure



SPARC Xterminal 1

1-Slot SBus Logic Enclosure

CODE	PART #	DESCRIPTION
1	540-2578	Base Assembly
-	240-1530	• M3 x 6 mm Screw, Speaker Assembly
-	340-2915	• Chassis
2	330-1450	• Foot
3	540-2547	• Right Front Corner
4	261-1009	• Purple Chassis Label
5	330-1683	• Left Front Corner
6	370-1579	• Speaker
-	530-2080	• Speaker and LED Wire Harness
-	530-2130	• DC Wire Harness
7	300-1257	50 Watt Power Supply
8	540-2551	Floppy Filler Panel without cutout, Purple
9	540-2553	CD-ROM Filler Panel, Purple
NS	240-2101	M3 Machine Screw, CPU, P/S, and Top Cover
NS	250-1200	Spring for M3 Screw, CPU, P/S, and Top Cover
NS	260-3059	Sun Logo
NS	261-2818	SPARC Xterminal 1 Nameplate
NS	540-2434	Top Cover Assembly
-	240-2195	• Tinnerman Clip (added to 540-2434-03)
NS	540-2540	Lockbox Assembly
-	240-2206	• M3 x 12 mm Screw
	802-1529	*SPARCstation 4 Service Manual*

SPARCstation 4

SS4 Netra *i*4 Netra *i*400 Netra *j*4

1-Slot SBus Logic Enclosure



SPARCstation 4

SS4 Netra *i*4 Netra *i*400 Netra *j*4

1-Slot SBus Logic Enclosure

CODE	PART #	DESCRIPTION
1	540-2664	Base Assembly (phased out Nov/Dec 1996)
-	240-1530	• M3 x 6 mm Screw, Speaker Assembly
-	340-2915	• Chassis
-	540-2548	• Right Side Vent Panel
2	330-1450	• Foot
3	540-2547	• Right Front Corner
4	261-1009	• Purple Chassis Label
5	330-1683	• Left Front Corner
6	370-1579	• Speaker
-	530-2130	• DC Wire Harness
-	530-2080	• Speaker and LED Wire Harness
7	540-2443	535MB Disk Drive FRU Assembly
7	540-2631	535MB Disk Drive FRU Assembly
-	370-1425	• 535MB Disk Drive (≤540-2443-03)
-	370-1425	• 535MB Disk Drive (540-2631-xx)
-	370-1844	• 535MB Disk Drive (≥540-2443-04)
-	240-2208	• #6-32 x 1/4" Screw
-	540-2570	• Mounting Bracket
NS	530-2146	Internal SCSI Cable, Disk Drive, 33 mm
7	540-2560	1.05GB Disk Drive FRU (discontinued 6/95)
7	540-2733	1.05GB Disk Drive FRU
-	240-2208	• #6-32 x 1/4" Screw
-	370-1753	• 1.05GB Disk Drive, Seagate ST31200WC
-	370-1964	• 1.05GB Disk Drive, Conner CFP1080E
-	540-2570	• Mounting Bracket
NS	530-2146	Internal SCSI Cable, Disk Drive, 33 mm
8	300-1257	50 Watt Power Supply
8	300-1279	150 Watt Power Supply [1]

[1] Power Supply 300-1279 is used in SPARCserver 4 configurations because the 150 Watt power supply supports the power state memory feature. SPARCstation 4 configurations use Power Supply 300-1257.

SPARCstation 4

SS4 Netra *i*4 Netra *i*400 Netra *j*4

1-Slot SBus Logic Enclosure- Continued

CODE	PART #	DESCRIPTION
9	540-2500	CD-ROM FRU Assembly
-	240-1463	• #6-32 x 1/4" Screw
-	240-2086	• M3 x 4 mm Screw
-	330-1748	• Mounting Grommet
-	340-3046	• Mounting Bracket
-	370-1679	• CD-ROM Drive
NS	530-2079	CD-ROM to Audio Module Cable, 435 mm
NS	530-2129	Internal SCSI Cable, CD-ROM, 350 mm
10	540-2553	CD-ROM Filler Panel, Purple
11	540-2509	Floppy Drive FRU Assembly
-	240-2121	• #6-32 Shoulder Screw
-	330-1748	• Drive Mounting Grommet
-	370-1419	• Floppy Drive
11	370-2151	Floppy Drive FRU (replaced 540-2509 12/95)
-	240-1530	• M3 x 6 mm Screw
-	240-2295	• M3 Shoulder Screw
NS	530-2067	Internal Floppy Cable, 190 mm
12	540-2551	Floppy Filler Panel without cutout, Purple
12	540-2552	Floppy Filler Panel with cutout, Purple
NS	240-2101	M3 Machine Screw, CPU, P/S, and Top Cover
NS	250-1200	Spring for M3 Screw, CPU, P/S, and Top Cover
NS	260-3059	Sun Logo
NS	261-2699	SPARCstation 4 Nameplate
NS	261-4380	SPARCserver 4 Nameplate
NS	261-4598	Netra *i* Nameplate
NS	540-2434	Top Cover Assembly
NS	240-2195	• Tinnerman Clip (added to 540-2434-03)
NS	540-2540	Lockbox Assembly
-	240-2206	• M3 x 12 mm Screw
	802-1529	*SPARCstation 4 Service Manual*

This page intentionally left blank.

SPARCstation 4

SS4 Netra *i*4 Netra *i*400 Netra *j*4

1-Slot SBus Logic Enclosure



SPARCstation 4

SS4 Netra *i*4 Netra *i*400 Netra *j*4

1-Slot SBus Logic Enclosure

CODE	PART #	DESCRIPTION
1	540-2902	Base Assembly (phased in July 1996)
-	240-1530	• M3 x 6 mm Screw, Speaker Assembly
-	340-3397	• Chassis
-	540-2847	• Right Side Vent Panel
2	330-1450	• Foot
3	540-2848	• Right Front Corner
4	261-1009	• Purple Chassis Label
5	330-1683	• Left Front Corner
6	370-1579	• Speaker
-	530-2302	• DC Wire Harness
-	530-2291	• Speaker and LED Wire Harness (obsolete)
-	530-2341	• Speaker and LED Wire Harness
7	540-2733	1.05GB Disk Drive FRU
-	240-2208	• #6-32 x 1/4" Screw
-	370-1753	• 1.05GB Disk Drive, Seagate ST31200WC
-	370-1964	• 1.05GB Disk Drive, Conner CFP1080E
-	540-2570	• Mounting Bracket
-	530-2146	Internal SCSI Cable, Disk Drive, 33 mm
7	540-2875	1.05GB Disk Drive FRU
-	240-2182	• #6-32 x 3/16" Screw
-	370-1964	• 1.05GB Disk Drive, Conner CFP1080E
-	370-2168	• 1.05GB Disk Drive, Quantum 1080S
-	540-2570	• Mounting Bracket
-	530-2146	Internal SCSI Cable, Disk Drive, 33 mm
8	300-1257	50 Watt Power Supply
8	300-1279	150 Watt Power Supply [1]

[1] Power Supply 300-1279 is used in SPARCserver 4 configurations because the 150 Watt power supply supports the power state memory feature. SPARCstation 4 configurations use Power Supply 300-1257.

SPARCstation 4

SS4 Netra *i*4 Netra *i*400 Netra *j*4

1-Slot SBus Logic Enclosure - Continued

CODE	PART #	DESCRIPTION
9	540-2852	SunCD 4 CD-ROM FRU Assembly
-	240-2295	• M3 Shoulder Screw
-	330-2036	• Mounting Grommet
-	370-2102	• SunCD 4 CD-ROM Drive
NS	530-2280	CD-ROM to Audio Module Cable, 435 mm
NS	530-2129	Internal SCSI Cable, CD-ROM, 350 mm
10	540-2845	CD-ROM Filler Panel, Light Grey
11	540-2854	Floppy Drive FRU Assembly
-	240-2318	• M2.5 x 3 mm Screw
-	330-2036	• Mounting Grommet
-	340-3401	• Mounting Bracket
-	370-2302	• Floppy Drive
NS	530-2277	Internal Floppy Cable, 250 mm
12	540-2846	Floppy Filler Panel without cutout, Light Grey
12	540-2853	Floppy Filler Panel with cutout, Light Grey

SPARCstation 4

SS4 Netra *i*4 Netra *i*400 Netra *j*4

1-Slot SBus Logic Enclosure - Continued

CODE	PART #	DESCRIPTION
NS	240-2101	M3 Machine Screw, CPU, P/S, and Top Cover
NS	250-1200	Spring for M3 Screw, CPU, P/S, and Top Cover
NS	260-3059	Sun Logo
NS	261-2699	SPARCstation 4 Nameplate
NS	261-4380	SPARCserver 4 Nameplate
NS	261-4598	Netra *i* Nameplate
NS	540-2844	Top Cover Assembly
NS	540-2540	Lockbox Assembly
-	240-2206	• M3 x 12 mm Screw
NS	540-3346	Vibration Kit for the Quantum 1080S Disk Drive
NS	501-2462	• SCSI I/O Board
NS	530-2278	• Internal SCSI Cable, 485 mm
NS	530-2279	• DC Wire Harness
NS	805-1235	• Installation Manual
	802-1529	*SPARCstation 4 Service Manual*

SPARCstation 5

SS5 Netra *i*5 Netra *s*5 Netra *i*500 Netra *i*525

3-Slot SBus Logic Enclosure



SPARCstation 5

SS5 Netra *i*5 Netra *s*5 Netra *i*500 Netra *i*525

3-Slot SBus Logic Enclosure

CODE	PART #	DESCRIPTION
1	540-2438	Base Assembly (phased out Nov/Dec 1996)
-	240-1530	• M3 x 6 mm Screw, Speaker Assembly
-	340-2915	• Chassis
-	540-2548	• Right Side Vent Panel
2	330-1450	• Foot
3	540-2547	• Right Front Corner
4	261-1009	• Purple Chassis Label
5	330-1683	• Left Front Corner
6	370-1579	• Speaker
7	501-2462	• SCSI I/O Board
-	240-2159	• M2 x 5 mm Screw
-	330-1753	• Bracket
-	530-2053	• Internal SCSI Cable, 660 mm
-	530-2066	• DC Wire Harness
-	530-2080	• Speaker and LED Wire Harness
8	540-2443	535MB Disk Drive FRU Assembly
-	240-2208	• #6-32 x 1/4" Screw
-	370-1425	• 535MB Disk Drive
-	370-1844	• 535MB Disk Drive
-	540-2570	• Mounting Bracket
8	540-2560	1.05GB Disk Drive FRU Assembly
-	370-1753	• 1.05GB Disk Drive, Seagate ST31200WC
-	370-1822	• 1.05GB Disk Drive, Conner CFP1060E
-	370-1964	• 1.05GB Disk Drive, Conner CFP1080E
-	370-2072	• 1.05GB Disk Drive, IBM DPES-31080
-	370-2168	• 1.05GB Disk Drive, Quantum
-	540-2570	• Mounting Bracket
8	540-2699	2.1GB Disk Drive FRU Assembly
-	370-1930	• 2.1GB Disk Drive, Conner CFP2105E
-	370-2071	• 2.1GB Disk Drive, Seagate ST32430WC
	370-2314	• 2.1GB Disk Drive, Seagate ST32155WC
-	370-2315	• 2.1GB Disk Drive, IBM DORS-32160
-	370-2842	• 2.1GB Disk Drive, IBM DCAS-32160
-	540-2570	• Mounting Bracket

SPARCstation 5

SS5 Netra *i*5 Netra *s*5 Netra *i*500 Netra *i*525

3-Slot SBus Logic Enclosure - Continued

CODE	PART #	DESCRIPTION
9	300-1215	150 Watt Power Supply (obsolete)
9	300-1279	150 Watt Power Supply
9	540-2657	Nordic Country Power Supply Assembly
-	300-1279	• 150 Watt Power Supply
-	370-1873	• Noise Kit
10	540-2500	CD-ROM FRU Assembly
-	240-1463	• #6-32 x 1/4" Screw
-	240-2086	• M3 x 4 mm Screw
-	330-1748	• Mounting Grommet
-	340-3046	• Mounting Bracket
-	370-1679	• CD-ROM Drive
NS	530-2079	CD-ROM to CPU Audio Cable, 435 mm
11	540-2553	CD-ROM Filler Panel, Purple
12	540-2509	Floppy Drive FRU Assembly
-	240-2121	• #6-32 Shoulder Screw
-	330-1748	• Drive Mounting Grommet
-	370-1419	• Floppy Drive
12	370-2151	Floppy Drive FRU (replaced 540-2509 12/95)
-	240-1530	• M3 x 6 mm Screw
-	240-2295	• M3 Shoulder Screw
NS	530-2067	Internal Floppy Cable, 190 mm
13	540-2551	Floppy Filler Panel without cutout, Purple
13	540-2552	Floppy Filler Panel with cutout, Purple
NS	240-2101	M3 Machine Screw, CPU, P/S, and Top Cover
NS	250-1200	Spring for M3 Screw, CPU, P/S, and Top Cover
NS	260-3059	Sun Logo
NS	260-6483	SPARCstation 5 Nameplate
NS	261-2082	SPARCserver 5 Nameplate
NS	261-4598	Netra *i* Nameplate
NS	261-4599	Netra *s* Nameplate
NS	540-2434	Top Cover Assembly
-	240-2195	• Tinnerman Clip (added to 540-2434-03)
NS	540-2540	Lockbox Assembly

This page intentionally left blank.



SPARCstation 5

SS5 Netra *i* 5 Netra *j* 5/170

3-Slot SBus Logic Enclosure



SPARCstation 5

SS5 Netra *i* 5 Netra *j* 5/170

3-Slot SBus Logic Enclosure

CODE	PART #	DESCRIPTION
1	540-2850	Base Assembly (phased in July 1996)
-	240-1530	• M3 x 6 mm Screw, Speaker Assembly
-	340-3397	• Chassis
-	540-2847	• Right Side Vent Panel
2	330-1450	• Foot
3	540-2848	• Right Front Corner
4	261-1009	• Purple Chassis Label
5	330-1683	• Left Front Corner
6	370-1579	• Speaker
7	501-2462	• SCSI I/O Board
-	240-2159	• M2 x 5 mm Screw
-	330-1753	• Bracket
-	530-2278	• Internal SCSI Cable, 485 mm
-	530-2279	• DC Wire Harness
-	530-2291	• Speaker and LED Wire Harness (obsolete)
-	530-2341	• Speaker and LED Wire Harness
8	540-2560	1.05GB Disk Drive FRU Assembly
-	370-1753	• 1.05GB Disk Drive, Seagate ST31200WC
-	370-1822	• 1.05GB Disk Drive, Conner CFP1060E
-	370-1964	• 1.05GB Disk Drive, Conner CFP1080E
-	370-2072	• 1.05GB Disk Drive, IBM DPES-31080
-	370-2168	• 1.05GB Disk Drive, Quantum 1080S
-	540-2570	• Mounting Bracket
8	540-2699	2.1GB Disk Drive FRU Assembly
-	370-1930	• 2.1GB Disk Drive, Conner CFP2105E
-	370-2071	• 2.1GB Disk Drive, Seagate ST32430WC
-	240-2314	• 2.1GB Disk Drive, Seagate ST32155WC
-	370-2315	• 2.1GB Disk Drive, IBM DORS-32160
-	370-2842	• 2.1GB Disk Drive, IBM DCAS-32160
-	540-2570	• Mounting Bracket
9	300-1279	150 Watt Power Supply
9	540-2657	Nordic Country Power Supply Assembly
-	300-1279	• 150 Watt Power Supply
-	370-1873	• Noise Kit

SPARCstation 5

SS5 Netra *i* 5 Netra *j* 5/170

3-Slot SBus Logic Enclosure - Continued

CODE	PART #	DESCRIPTION
10	540-2852	SunCD 4 CD-ROM FRU Assembly
-	240-2295	• M3 Shoulder Screw
-	330-2036	• Mounting Grommet
-	370-2102	• SunCD 4 CD-ROM Drive
10	540-2901	SunCD 12x CD-ROM Assembly
-	240-2295	• M3 Shoulder Screw
-	330-2036	• Mounting Grommet
-	370-2816	• 12X CD-ROM Drive
NS	530-2280	CD-ROM to CPU Audio Cable, 435 mm
11	540-2845	CD-ROM Filler Panel, Light Grey
12	540-2854	Floppy Drive FRU Assembly
-	240-2318	• M2.5 x 3 mm Screw
-	330-2036	• Mounting Grommet
-	340-3401	• Mounting Bracket
-	370-2302	• Floppy Drive
NS	530-2277	Internal Floppy Cable, 250 mm
13	540-2846	Floppy Filler Panel without cutout, Light Grey
13	540-2853	Floppy Filler Panel with cutout, Light Grey
NS	240-2101	M3 Machine Screw, CPU, P/S, and Top Cover
NS	250-1200	Spring for M3 Screw, CPU, P/S, and Top Cover
NS	260-3059	Sun Logo
NS	260-6483	SPARCstation 5 Nameplate
NS	261-2082	SPARCserver 5 Nameplate
NS	261-4598	Netra *i* Nameplate
NS	261-4599	Netra *s* Nameplate
NS	540-2844	Top Cover Assembly
NS	540-2540	Lockbox Assembly
-	240-2206	• M3 x 12 mm Screw

This page intentionally left blank.

SPARCstation 10

4-Slot SBus Logic Enclosure



SPARCstation 10

4-Slot SBus Logic Enclosure

CODE	PART #	DESCRIPTION
1	599-1846	Base Assy (replaced 540-2498 and 540-2150)
-	540-2512	Base Sub Assy (replaced 540-2151)
2	300-1081	140 Watt Power Supply
2	300-1255	140 Watt Power Supply (same as 300-1081-04)
3	370-1420	3.5" Floppy Disk Drive, Triple Density
4	330-1448	Floppy Drive Clip
5	240-2075	3.5 mm Washer
6	330-1390	#6-32 Drive Mounting Grommet
7	540-2148	Top Cover Assembly (obsolete)
7	540-2499	Top Cover Assembly
8	540-2165	424MB Disk Drive Assembly
-	370-1392	• 424MB Disk Drive, Seagate ST1480N
-	240-8018	• #6 Lock Washer
-	330-1390	• #6-32 Drive Mounting Grommet
8	540-2420	1.05GB Disk Drive Assembly (obsolete)
-	370-1546	• 1.05GB Disk Drive, Seagate ST11200N
-	240-8018	• #6 Lock Washer
-	330-1390	• #6-32 Drive Mounting Grommet
8	370-1684	535MB Disk Drive, Conner CP30540
8	370-1843	535MB Disk Drive, Seagate ST5660N
8	370-1546	1.05GB Disk Drive, Seagate ST11200N
8	370-1710	1.05GB Disk Drive, Seagate ST31200N
8	370-1963	1.05GB Disk Drive, Conner CFP1080S
8	370-1709	2.1GB Disk Drive, Seagate ST12400N
8	370-1929	2.1GB Disk Drive, Conner CFP2105S
8	370-2070	2.1GB Disk Drive, Seagate ST32430N
-	240-1141	#6-32 x 1/4" Screw (6 required)
-	330-1390	#6-32 Drive Mounting Grommet (2 required)
-	330-1717	Drive Mounting Grommet (2 required)
-	340-2939	Drive Mounting Bracket
9	530-1848	DC Power Harness
10	530-1847	LED, SCSI, and Floppy Cable Assembly
NS	260-3059	Sun Logo
NS	260-5927	SPARCstation 10 Nameplate

SPARCstation 10SX

4-Slot SBus Logic Enclosure



SPARCstation 10SX

4-Slot SBus Logic Enclosure

CODE	PART #	DESCRIPTION
1	540-2533	Base Assembly
2	300-1081	140 Watt Power Supply [1]
3	370-1420	3.5" Floppy Disk Drive, Triple Density
4	330-1448	Floppy Drive Clip
5	240-2075	3.5 mm Washer
6	330-1390	#6-32 Drive Mounting Grommet
7	540-2499	Top Cover Assembly
8	370-1546	1.05GB Disk Drive, 1.5", Seagate ST11200N
8	370-1710	1.05GB Disk Drive, 1.0", Seagate ST31200N
8	370-1684	535MB Disk Drive, Conner CP30540
-	240-1141	#6-32 x 1/4" Screw (6 required)
-	330-1390	#6-32 Drive Mounting Grommet (2 required)
-	330-1717	Drive Mounting Grommet (2 required)
-	340-2939	Drive Mounting Bracket
9	530-1848	DC Power Harness
10	530-1847	LED, SCSI, and Floppy Cable Assembly
NS	540-2501	Speaker Assembly
NS	260-3059	Sun Logo
NS	260-5927	SPARCstation 10 Nameplate
NS	260-5929	SPARCserver 10 Nameplate
NS	540-1982	Lockbox Assembly
	801-6399	*SPARCstation 10 Service Manual*

[1] Power Supply 300-1081-05 is required to maintain the European Community safety agency approval for the CE mark.

SPARCstation 20

SS20 Netra *i*20 Netra *s*20 Netra *i*600 Netra *i*625

4-Slot SBus Logic Enclosure



SPARCstation 20

SS20 Netra *i*20 Netra *s*20 Netra *i*600 Netra *i*625

4-Slot SBus Logic Enclosure

CODE	PART #	DESCRIPTION
1	540-2438	Base Assembly (phased out Nov/Dec 1996)
-	240-1530	• M3 x 6 mm Screw, Speaker Assembly
-	340-2915	• Chassis
-	540-2548	• Right Side Vent Panel (TurboZX requires 2548-02)
2	330-1450	• Foot
3	540-2547	• Right Front Corner
4	261-1009	• Purple Chassis Label
5	330-1683	• Left Front Corner
6	370-1579	• Speaker
7	501-2462	• SCSI I/O Board
-	240-2159	• M2 x 5 mm Screw
-	330-1753	• Bracket
-	530-2053	• Internal SCSI Cable, 660 mm
-	530-2066	• DC Wire Harness
-	530-2080	• Speaker and LED Wire Harness
8	540-2443	535MB Disk Drive FRU Assembly
-	370-1425	• 535MB Disk Drive
-	370-1844	• 535MB Disk Drive
-	240-2208	• #6-32 x 1/4" Screw
-	540-2570	• Mounting Bracket
8	540-2560	1.05GB Disk Drive FRU Assembly
-	370-1753	• 1.05GB Disk Drive, Seagate ST31200WC
-	370-1822	• 1.05GB Disk Drive, Conner CFP1060E
-	370-1964	• 1.05GB Disk Drive, Conner CFP1080E
-	370-2072	• 1.05GB Disk Drive, IBM DPES-31080
-	370-2168	• 1.05GB Disk Drive, Quantum 1080S
-	540-2570	• Mounting Bracket
8	540-2699	2.1GB Disk Drive FRU Assembly
-	370-1930	• 2.1GB Disk Drive, Conner CFP2105E
-	370-2071	• 2.1GB Disk Drive, Seagate ST32430WC
-	370-2314	• 2.1GB Disk Drive, Seagate ST32155WC
-	370-2315	• 2.1GB Disk Drive, IBM DORS-32160
-	370-2842	• 2.1GB Disk Drive, IBM DCAS-32160
-	540-2570	• Mounting Bracket

SPARCstation 20

SS20 Netra *i*20 Netra *s*20 Netra *i*600 Netra *i*625

4-Slot SBus Logic Enclosure - Continued

CODE	PART #	DESCRIPTION
9	560-2044	Fan Kit
	540-2640	Fan Assembly, 4 CFM
	330-1836	Fan Installation Tool
10	300-1215	150 Watt Power Supply (obsolete)
10	300-1279	150 Watt Power Supply
11	540-2500	CD-ROM FRU Assembly
-	240-1463	• #6-32 x 1/4" Screw
-	240-2086	• M3 x 4 mm Screw
-	330-1748	• Mounting Grommet
-	340-3046	• Mounting Bracket
-	370-1679	• CD-ROM Drive
12	540-2553	CD-ROM Filler Panel, Purple
13	540-2509	Floppy Drive FRU Assembly
-	240-2121	• #6-32 Shoulder Screw
-	330-1748	• Drive Mounting Grommet
-	370-1419	• Floppy Drive
13	370-2151	Floppy Drive FRU (replaced 540-2509 12/95)
-	240-1530	• M3 x 6 mm Screw
-	240-2295	• M3 Shoulder Screw
14	540-2551	Floppy Filler Panel without cutout, Purple
14	540-2552	Floppy Filler Panel with cutout, Purple
NS	240-2101	M3 Machine Screw, CPU, P/S, and Top Cover
NS	250-1200	Spring for M3 Screw, CPU, P/S, and Top Cover
NS	260-3059	Sun Logo
NS	261-1269	SPARCstation 20 Nameplate
NS	261-2071	SPARCserver 20 Nameplate
NS	261-4598	Netra *i* Nameplate
NS	261-4599	Netra *s* Nameplate
NS	530-2067	Internal Floppy Cable, 190 mm
NS	530-2316	Floppy DC Power Filter Cable, 76 mm
NS	540-2434	Top Cover Assembly
-	240-2195	• Tinnerman Clip (added to 540-2434-03)
NS	540-2540	Lockbox Assembly

SPARCstation 20

SS20 Netra *i*20 Netra *s*20 Netra *i*600 Netra *i*625

4-Slot SBus Logic Enclosure

CODE	PART #	DESCRIPTION
1	540-2438	Base Assembly (phased out Nov/Dec 1996)
-	240-1530	• M3 x 6 mm Screw, Speaker Assembly
-	340-2915	• Chassis
-	540-2548	• Right Side Vent Panel (TurboZX requires 2548-02)
2	330-1450	• Foot
3	540-2547	• Right Front Corner
4	261-1009	• Purple Chassis Label
5	330-1683	• Left Front Corner
6	370-1579	• Speaker
7	501-2462	• SCSI I/O Board
-	240-2159	• M2 x 5 mm Screw
-	330-1753	• Bracket
-	530-2053	• Internal SCSI Cable, 660 mm
-	530-2066	• DC Wire Harness
-	530-2080	• Speaker and LED Wire Harness
8	540-2443	535MB Disk Drive FRU Assembly
-	370-1425	• 535MB Disk Drive
-	370-1844	• 535MB Disk Drive
-	240-2208	• #6-32 x 1/4" Screw
-	540-2570	• Mounting Bracket
8	540-2560	1.05GB Disk Drive FRU Assembly
-	370-1753	• 1.05GB Disk Drive, Seagate ST31200WC
-	370-1822	• 1.05GB Disk Drive, Conner CFP1060E
-	370-1964	• 1.05GB Disk Drive, Conner CFP1080E
-	370-2072	• 1.05GB Disk Drive, IBM DPES-31080
-	370-2168	• 1.05GB Disk Drive, Quantum 1080S
-	540-2570	• Mounting Bracket
8	540-2699	2.1GB Disk Drive FRU Assembly
-	370-1930	• 2.1GB Disk Drive, Conner CFP2105E
-	370-2071	• 2.1GB Disk Drive, Seagate ST32430WC
-	370-2314	• 2.1GB Disk Drive, Seagate ST32155WC
-	370-2315	• 2.1GB Disk Drive, IBM DORS-32160
-	370-2842	• 2.1GB Disk Drive, IBM DCAS-32160
-	540-2570	• Mounting Bracket

This page intentionally left blank.

SPARCstation 20

SS20 Netra *i*20 Netra *s*20 Netra *i*600 Netra *i*625

4-Slot SBus Logic Enclosure



SPARCstation 20

SS20 Netra *i*20 Netra *s*20 Netra *i*600 Netra *i*625

4-Slot SBus Logic Enclosure

CODE	PART #	DESCRIPTION
1	540-2850	Base Assembly (phased in July 1996)
-	240-1530	• M3 x 6 mm Screw, Speaker Assembly
-	340-3397	• Chassis
-	540-2847	• Right Vent Panel (supports TurboZX)
2	330-1450	• Foot
3	540-2848	• Right Front Corner
4	261-1009	• Purple Chassis Label
5	330-1683	• Left Front Corner
6	370-1579	• Speaker
7	501-2462	• SCSI I/O Board
-	330-1753	• Bracket
-	530-2278	• Internal SCSI Cable, 485 mm
-	530-2279	• DC Wire Harness
-	530-2291	• Speaker and LED Wire Harness (obsolete)
-	530-2341	• Speaker and LED Wire Harness
8	540-2443	535MB Disk Drive FRU Assembly
-	370-1425	• 535MB Disk Drive
-	370-1844	• 535MB Disk Drive
-	240-2208	• #6-32 x 1/4" Screw
-	540-2570	• Mounting Bracket
8	540-2560	1.05GB Disk Drive FRU Assembly
-	370-1753	• 1.05GB Disk Drive, Seagate ST31200WC
-	370-1822	• 1.05GB Disk Drive, Conner CFP1060E
-	370-1964	• 1.05GB Disk Drive, Conner CFP1080E
-	370-2072	• 1.05GB Disk Drive, IBM DPES-31080
-	370-2168	• 1.05GB Disk Drive, Quantum 1080S
-	540-2570	• Mounting Bracket
8	540-2699	2.1GB Disk Drive FRU Assembly
-	370-1930	• 2.1GB Disk Drive, Conner CFP2105E
-	370-2071	• 2.1GB Disk Drive, Seagate ST32430WC
-	370-2314	• 2.1GB Disk Drive, Seagate ST32155WC
-	370-2315	• 2.1GB Disk Drive, IBM DORS-32160
-	370-2842	• 2.1GB Disk Drive, IBM DCAS-32160
-	540-2570	• Mounting Bracket

SPARCstation 20

SS20 Netra *i*20 Netra *s*20 Netra *i*600 Netra *i*625

4-Slot SBus Logic Enclosure - Continued

CODE	PART #	DESCRIPTION
9	560-2044	Fan Kit
	540-2640	Fan Assembly, 4 CFM
	330-1836	Fan Installation Tool
10	300-1279	150 Watt Power Supply
11	540-2852	SunCD 4 CD-ROM FRU Assembly
-	240-2295	• M3 Shoulder Screw
-	330-2036	• Mounting Grommet
-	370-2102	• SunCD 4 CD-ROM Drive
12	540-2845	CD-ROM Filler Panel, Light Grey
13	540-2854	Floppy Drive FRU Assembly
-	240-2318	• M2.5 x 3 mm Screw
-	330-2036	• Mounting Grommet
-	340-3401	• Mounting Bracket
-	370-2302	• Floppy Drive
NS	530-2277	Internal Floppy Cable, 250 mm
NS	530-2316	Floppy DC Power Filter Cable, 76 mm
14	540-2846	Floppy Filler Panel without cutout, Light Grey
14	540-2853	Floppy Filler Panel with cutout, Light Grey
NS	240-2101	M3 Machine Screw, CPU, P/S, and Top Cover
NS	250-1200	Spring for M3 Screw, CPU, P/S, and Top Cover
NS	260-3059	Sun Logo
NS	261-1269	SPARCstation 20 Nameplate
NS	261-2071	SPARCserver 20 Nameplate
NS	261-4598	Netra *i* Nameplate
NS	261-4599	Netra *s* Nameplate
NS	540-2844	Top Cover Assembly
NS	540-2540	Lockbox Assembly
-	240-2206	• M3 x 12 mm Screw

This page intentionally left blank.

SPARCstation Voyager

Logic Enclosure



SPARCstation Voyager

Logic Enclosure

CODE	PART #	DESCRIPTION
1	595-3146	Battery Assembly
-	300-1213-01	• 40 Watt Battery
-	300-1213-02	• 40 Watt Battery with Pull Ring
-	530-2063	• Power Cord, Battery Charging Mode
2	540-2493-xx	• Battery Cover for 300-1213-01
2	540-2493-04	• Battery Cover for ≥300-1213-02
3	540-2494-xx	Power Supply Cover for ≤300-1212-02
3	540-2494-04	Power Supply Cover for ≥300-1212-03
4	300-1212-xx	60 Watt Power Supply
4	300-1212-03	60 Watt Power Supply with Pull Ring
5	540-2454	Speaker Assembly
6	240-2118	M3 x 5 mm Screw
7	330-1672	End Cap, Left
8	330-1743	End Cap Plug
9	300-1234	DC-DC Converter
10	330-1597	Rear Cover
11	540-2452	12" Color LCD
11	540-2453	14" Mono LCD
12	330-1669	End Cap, Right
13	540-2596	Lockbox Assembly
14	530-2049	Frame Buffer to CPU Flex Cable
15	540-2445	Floppy Drive FRU Assembly
-	240-2104	• M2 x 4 mm Screw
-	330-1668	• Mounting Bracket
-	370-1542	• Floppy Drive
16	530-2061	Floppy Power and Data Cable
17	240-1759	M3 x 8 mm Screw
18	540-2446	340MB Disk Drive FRU Assembly
-	240-2161	• Washer
-	240-2164	• M3 Shoulder Screw
-	370-1670	• 340MB Disk Drive
-	540-2546	• Drive Mounting Bracket Assembly
-	330-1779	• Grommet
-	340-2961	• Mounting Bracket

SPARCstation Voyager

Logic Enclosure - Continued

CODE	PART #	DESCRIPTION
18	540-2695	810MB Disk Drive FRU Assembly
-	240-2161	• Washer
-	240-2164	• M3 Shoulder Screw
-	370-1982	• 810MB Disk Drive
-	540-2546	• Drive Mounting Bracket Assembly
-	330-1779	• Grommet
-	340-2961	• Mounting Bracket
19	530-2062	Disk Drive SCSI Cable, 87 mm
20	240-2117	M3 x 5 mm Screw
21	501-2491	Infrared Module
22	530-2071	Infrared Module Cable
23	330-1594	Front Cover
24	330-1714	Rear Bottom Cover
NS	240-1571	#4-40 x 0.15" Jackscrew
NS	240-2131	M3 x 4mm Screw
NS	240-2164	M3 x 4 mm Screw
NS	240-2173	M2 x 4mm Screw
NS	330-1699	LCD Connector Cover (configurations without LCD)
NS	330-1777	Power On/Off Button
NS	530-2069	DC Wire Harness
NS	501-2492	I/O Board (obsolete)
NS	501-2582	I/O Board (obsolete)
NS	501-2683	I/O Board
NS	540-2545	Front Bottom Cover
NS	530-2073	Power Cord, UK, Type C7 - BS1363A
NS	530-2074	Power Cord, Europe, Type C7 - CEE 7/7
NS	530-2075	Power Cord, Australia, Type C7 - SAA/2
NS	530-2076	Power Cord, USA, Type C7 -NEMA 1-15
NS	530-2022	Power Cord, Japan, Type C7 - JIS-C 8303